

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|--------------------------------------------------|---------------------------------------------------------|------------------|---------|------------------|
| L1 | 26236 | "338"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:14 |
| L2 | 1953118 | groove or recess | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:07 |
| L3 | 94 | terminal near electrode near low near resistance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:08 |
| L4 | 6976 | chip near resistor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:15 |
| L5 | 75 | 1 and 2 and 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:15 |
| L9 | 73 | 2 and 3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:16 |
| L11 | 243 | terminal near low near resistance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:18 |
| L12 | 2 | 1 and 11 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:17 |
| L14 | 118532 | low near resistance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:19 |

EAST Search History

| | | | | | | |
|-----|--------|--------------------|---------------------------------------------------------|----|----|------------------|
| L15 | 529502 | insulation | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:19 |
| L17 | 411 | 4 and 14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:20 |
| L18 | 62 | 15 and 17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:20 |
| L19 | 0 | 11 and 18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:20 |
| L20 | 22 | 2 and 18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:22 |
| L21 | 3 | 1 and 20 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 11:21 |
| L22 | 0 | ("7084733").URPN. | USPAT | OR | ON | 2006/08/31 11:33 |
| L23 | 618 | 338/309.ccls. | USPAT | OR | ON | 2006/08/31 11:33 |
| L24 | 102 | 14 and 23 | USPAT | OR | ON | 2006/08/31 11:33 |
| L25 | 1 | 11 and 23 | USPAT | OR | ON | 2006/08/31 11:34 |
| L26 | 55 | 4 and 23 | USPAT | OR | ON | 2006/08/31 11:34 |
| L27 | 82 | 2 and 23 | USPAT | OR | ON | 2006/08/31 11:34 |
| L28 | 19 | 26 and 27 | USPAT | OR | ON | 2006/08/31 11:34 |
| L29 | 8651 | concave adj groove | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:05 |
| L30 | 0 | 23 and 29 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:04 |

EAST Search History

| | | | | | | |
|-----|--------|-------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| L31 | 2 | 4 and 29 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:04 |
| L32 | 6920 | concave adj (recess or hole) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:05 |
| L33 | 6 | 1 and 32 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:07 |
| L34 | 6 | 4 and 32 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:06 |
| L35 | 22010 | groove same recess same opening | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:08 |
| L36 | 9598 | terminal same electrode and low near resistance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:08 |
| L37 | 957093 | 35 band 36 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:09 |
| L38 | 12 | 35 and 36 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/31 12:09 |